



CHECKLIST OF INDIAN STINGLESS BEES (HYMENOPTERA: APIDAE: MELIPONINI) SPECIES

*¹ B.N. Gopinatha

*¹Lecturer, Department of Studies in Zoology, Government First Grade College, Mulbagal, Karnataka, India

ARTICLE DETAILS

Article History:

Received Date: 18-03-2026

Revised Date: 20-03-2026

Accepted Date: 24-03-2026

Published Online: 26-03-2026

Keywords

Stingless bees, Diversity, Distribution, Checklist, India.

*Corresponding Author

Email: dr.gopinatha91@gmail.com

ABSTRACT

This review highlights the diversity and distribution of stingless bees in India. Stingless bees are eusocial corbiculate insects commonly referred to as “dammar bees” in India. In Karnataka, they are locally known as “Musare Jenu”. These bees live in perennial colonies and distributed in the tropical and subtropical regions worldwide. Stingless bee colonies are typically found in crevices of both natural and man-made structures and they serve as important pollinator for a wide range of agricultural crops. In India, 31 species of stingless bees have been documented in three genera i.e., *Tetragonula* (20 species), *Lisotrigona* (6 species) and *Lepidotrigona* (5 species) a checklist presented in this paper. According to the available reviews, *Tetragonula* is the most abundant genus among them. Research on the diversity and distribution of stingless bee in different regions of India remains limited, leaving a considerable gap in knowledge. Hence, more focus studies are needed in the future to better understand and document their diversity and distribution of stingless bee in India is necessary.

1. Introduction

Stingless bees exhibit the greatest diversity in tropical, subtropical and neotropical regions of the world which includes America, Africa, Asia, Indo-Malayan and Australia region except absent in Antarctica regions (Rasmussen and Cameron, 2007). A total of 605 stingless bee species have been described in 61 genera (Rasmussen and Cameron, 2010; Lopez-Urbe *et al.*, 2017; Gruter, 2020; Engel *et al.*, 2023 and Vit *et al.*, 2025). In the Neotropical region, 461 stingless bee species have been described in 37 genera, the Indo-Malayan region comprises 90 species in 13 genera, the Afrotropical region 50 species in 11 genera and the Australasian region has 11 species distributed in two genera (Gruter, 2020; Engel *et al.*, 2023 and Vit *et al.*, 2025). In China, 10 stingless bee species have been described within a single genus (Zheng *et al.*, 2018). In Sri Lanka, three species have been recorded, representing two genera (Silva *et al.*, 2016). In India, 31 species of stingless bees have been described and representing three genera (Biesmeijer, 1993; Jobiraj and Narendran, 2004; Rasmussen, 2013; Viraktamath and Jose, 2017; Shanasa and Faseeh, 2019; Viraktamath and Shishira, 2020; Viraktamath and Thangjam, 2021; Viraktamath and Roy, 2022; Viraktamath and Thangjam, 2022; Viraktamath *et al.*, 2023 and Hadimani and Dey 2025; Meena *et al.*, 2025).

2. Materials and methods

Secondary data of published reports, articles and book chapters of various authors database used to evaluate the diversity and distribution of stingless bee species in India. This method used to understand the presence of species and their distribution pattern without field work it makes easier to collect data, which helps to gather the scientific information which is already available on the database later it can be used for multiple purpose.

3. Results

Table-1. Checklist of stingless bee species present in the Indian subcontinent.

Sl. No.	Genus and species	Distribution	Region	Reference
1.	<i>Tetragonula iridipennis</i> (Smith, 1854)	Karnataka, Kerala, Tamil Nadu, West Bengal, Himachal Pradesh, New Delhi, Rajasthan	Parts of North and South India	Biesmeijer, (1993); Mohan and Devasenan (1999); Swaminathan (2000); Danareddi and Shashidhar (2009); Vijaykumar and Jayaraaj (2014); Roopa <i>et al.</i> , (2015); Nayak and Prakash (2018); Bhatta <i>et al.</i> , (2019); Chauhan (2024); Das <i>et al.</i> , (2024); Gouda <i>et al.</i> , (2024); Meena <i>et al.</i> , (2025) Yadav <i>et al.</i> , (2025)
2.	<i>Lisotrigona mohandasi</i> (Jobiraj and Narendran, 2004)	Kerala	South India	Jobiraj and Narendran (2004); Rasmussen (2013); Meena <i>et al.</i> , (2025)
3.	<i>Lisotrigona cacciae</i> (Nurse, 1907)	Madhya Pradesh	Central India	Rasmussen (2013)
4.	<i>Tetragonula praeterita</i> (Walker, 1860)	Andhra Pradesh, Tamil Nadu, Kerala, Karnataka	South India	Rasmussen (2013); Rahman <i>et al.</i> , (2013)
5.	<i>Tetragonula ruficornis</i> (Smith, 1870)	Assam, Arunachal Pradesh, Nagaland, Meghalaya, Punjab, New Delhi	North-east India	Rasmussen (2013); Rahman <i>et al.</i> , (2013); Hadimani <i>et al.</i> , (2024); Meena <i>et al.</i> , (2025)
6.	<i>Lepidotrigona arciferal</i> (Cockerell, 1929)	Nagaland	North-east India	Rasmussen (2013); Vijayakumar (2014)
7.	<i>Lisotrigona revanai</i> (Viraktamath and Sajan Jose, 2017)	Kerala	South India	Viraktamath and Jose (2017)
8.	<i>Lisotrigona chandrai</i> (Viraktamath and Jose, 2017)	Kerala	South India	Viraktamath and Jose (2017)
9.	<i>Tetragonula cf. fuscobalteata</i> (Cameron 1908)	Tamil Nadu, Karnataka, Andhra Pradesh	South India	Nayak and Prakash (2018)
10.	<i>Tetragonula aff. laeviceps</i> (Smith, 1857)	Tamil Nadu, Karnataka, Andhra Pradesh, Kerala	South India	Nayak and Prakash (2018)
11.	<i>Tetragonula cf. minor</i>	Karnataka	South India	Nayak and Prakash (2018)
12.	<i>Tetragonula bengalensis</i> (Cameron, 1897)	Karnataka	South India	Nayak and Prakash (2018)

13.	<i>Tetragonula calophyllae</i> (Shanas and Faseeh, 2019)	Kerala	South India	Shanas and Faseeh (2019)
14.	<i>Tetragonula perlucipinnae</i> (Shanas and Faseeh, 2019)	Kerala	South India	Shanas and Faseeh (2019)
15.	<i>Tetragonula travancorica</i> (Shanas and Faseeh, 2019)	Kerala	South India	Shanas and Faseeh (2019)
16.	<i>Tetragonula nr. pagdeni</i> (Schwarz, 1939)	Karnataka West Bengal, Maharashtra	North and South India, west and Central India	Viraktamatn and Shishira (2020); Shaikh <i>et al.</i> , (2023); Layek and Karmakar (2025); Layek <i>et al.</i> , (2025); Khandibagur <i>et al.</i> , (2025); Meena <i>et al.</i> , (2025)
17.	<i>Tetragonula gressitti</i> (Sakagami, 1978)	Nagaland	North-east India	Chauhan and Singh (2021)
18.	<i>Tetragonula kyrdemkulaiensis</i> (Viraktamath and Rojeet, 2021)	Kyrdemkulai, Meghalaya	North-east India	Viraktamath and Thangjam (2021)
19.	<i>Tetragonula srikantanathi</i> (Viraktamath, 2022)	Salema, Tripura	North-east India	Viraktamath and Thangjam (2021)
20.	<i>Tetragonula vikrami</i> (Viraktamath, 2022)	Karnataka	South India	Viraktamath and Roy (2022)
21.	<i>Tetragonula sumae</i> (Viraktamath, 2022)	Tamil Nadu	South India	Viraktamath and Roy (2022)
22.	<i>Tetragonula ashishi</i> (Viraktamath and Jagruti, 2022)	Maharashtra	Central India	Viraktamath and Roy (2022)
23.	<i>Tetragonula shishirae</i> (Viraktamath, 2022)	Rajasthan	Western India	Viraktamath and Roy (2022)
24.	<i>Tetragonula shubhami</i> (Viraktamath, 2022)	Chhattisgarh	Central India	Viraktamath and Roy (2022)
25.	<i>Lepidotrigona amruthae</i> (Viraktamath and Thangjam, 2022)	Mizoram	North-East India	Viraktamath and Thangjam (2022)
26.	<i>Lepidotrigona rajithae</i> (Viraktamath and Thangjam, 2022)	Mizoram	North-East India	Viraktamath and Thangjam (2022)
27.	<i>Lepidotrigona thenzawlensis</i> (Viraktamath and Thangjam, 2022)	Mizoram	North-East India	Viraktamath and Thangjam (2022)
28.	<i>Lepidotrigona sikkimensis</i> (Viraktamath and Thangjam, 2022)	Sikkim	North-East India	Viraktamath and Thangjam (2022)
29.	<i>Lisotrigona darbhaensis</i> (Viraktamath, 2023)	Chhattisgarh	Central India	Viraktamath <i>et al.</i> , (2023)
30.	<i>Lisotrigona kosumtaraensis</i> (Viraktamath, 2023)	Maharashtra	Western and Central part of India	Viraktamath <i>et al.</i> , (2023)
31.	<i>Tetragonula kotagadensis</i> (Hadimani and Dey, 2025)	Odisha	Eastern part of India	Hadimani and Dey (2025).

4. Discussion

The first stingless bee species reported from Indian was *Melipona iridipennis* described by Smith and later this genus reclassified under the genus *Trigona*. Details description of *Trigona iridipennis* later done by Sakagami in (1978). Still 2008 only eight stingless bee species was described in India by Rasmussen (2008). Rahman et al., (2013) have studied the diversity and distribution of stiles bee in different states of India. Later in the year 2017 two new species of the genus *Lisotrigona* (*L. revanai* and *L. chandrai*) was described by Viraktamath and Jose (2017). Followed by in the year 2019 three new species of the genus *Tetragonula* (*T. calophyllae*, *T. perlucipinnae* and *T. travancorica*) was described from Kerala by Shanas and Faseeh (2019). During the year 2021 two new species of *Tetragonula* (*T. kyrdemkulaiensis* and *T. srikantanathi*) was described by Viraktamath and Thangjam (2021). Five new species of the genus *Tetragonula* (*T. vikrami*, *T. sumae*, *T. ashishi*, *T. shishirae* and *T. shubhami*) was described by Viraktamath and Roy (2022). Four new species of the genus *Lepidotrigona* (*L. amruthae*, *L. rajithae*, *L. thenzawlensis* and *L. sikkimensis*) was described by Viraktamath and Thangjam (2022). Two new species of the genus *Lisotrigona* (*L. darbhaensis* and *L. kosumtaraensis*) was described by Viraktamath et al., (2023). In the year 2025 a new species of the genus *Tetragonula* (*T. kotagadensis*) was described by Hadimani and Dey (2025) and these are reported from different geographical regions of the Indian subcontinent, with details mention in the table (refer Table 1.) it leads to raise a total of 31 stingless bee species in India.

Conclusion

India is one of the mega-biodiversity hotspots, it is home for variety of flora and fauna. Its diverse ecosystems support a vast range of species, many of which are endemic to the Indian region. While, the Indian subcontinent showed diverse environmental conditions which is suitable for the stingless bee population and is home to several types of stingless bee species exist in it, our understanding of their biology and regional distribution remains incomplete. Hence, to realize the potential of these species, further research must focus on their taxonomic diversity and geographic distribution of stingless bees need to be conducted and complete field surveys are required to document their existence in India's distinct ecological regions.

Acknowledgement

I sincerely express my gratitude to Dr. S. Basavarajappa, Department of Studies in Zoology, Manasagangotri, University of Mysore, Mysore, for providing the necessary facilities and support throughout this work. And also extended my thanks to the Principal Dr. G. Munivenkatappa, Department of History, Government First Grade College Mulbagal for providing facilities and his kind support.

References

1. Rasmussen, C., Cameron, S.A. (2007). A molecular phylogeny of the Old World stingless bees (Hymenoptera: Apidae: Meliponini) and the non-monophyly of the large genus *Trigona*. *Systematic Entomology*. 32: 26-39.
2. Rasmussen, C., Cameron, S.A. (2010). Global stingless bee phylogeny supports ancient divergence vicariance and long distance dispersal. *Biological J. The Linnean Society*. 99 (1): 206–232.
3. Lopez-Urbe, M.M. et al., (2017). Conservation genetics of bees: advances in the application of molecular tools to guide bee pollinator conservation. *Conservation Genetics*. 18(3): 501-506.
4. Gruter, C. (2020). Evolution and diversity of stingless bees. In *Stingless Bees*. Springer. Cham. Ecology and Evolution. 43-86.
5. Engel, M.S. et al., 2023. Stingless bee classification and biology (Hymenoptera, Apidae): a review, with an updated key to genera and subgenera. *Zoo Keys*. 1172: 239.
6. Vit, P. et al., (2025). Active metabolites of stingless bee nest materials used for meliponitherapy: Bibliometrics, impact of biodiversity in conservation, and emerging microbiome. *Medical Research Archives*. 13(11).
7. Biesmeijer, K. (1993). Stingless bees: Discussion and paper at the international symposium on pollination tropics. *Pegone*. 1: 6-8.

8. Jobiraj, T. Narendran, T. C. (2004). A revised key to the world species of *Lisotrigona* Moure (Hymenoptera: Apoidea: Apidae) with description of a new species from India. *Entomon-Trivandrum*. 29: 39-44.
9. Rasmussen, C. (2013). Stingless bees (Hymenoptera : Apidae : Meliponini) of the Indian subcontinent : *Zootaxa*. 3647(3): 401–428.
10. Viraktamath, S., Jose, K.S. (2017). Two new species of *Lisotrigona* Moure (Hymenoptera: Apidae: Meliponini) from India with notes on nest structure. *The Bioscan*. 12(1): 21-28.
11. Shanass, S., Faseeh, P. 2019. A new subgenus and three new species of stingless bees (Hymenoptera: Apidae: Apinae: Meliponini) from India. *Entomon*. 44(1): 33-48.
12. Viraktamath, S., Shishira, D. (2020). Male production pattern in stingless bee, *Tetragonula nr. pagdeni* (Hymenoptera: Apidae: Meliponini) in India. *The Bioscan*. 15(1): 039-043.
13. Viraktamath, S., Thangjam, R. (2021). Two new species of *Tetragonula* (Hymenoptera: Apidae: Meliponini) from North-East India with notes on their nest structure. *Biologia*. 76(6): 1691-1704.
14. Viraktamath, S., Roy, J. (2022). Description of five new species of *Tetragonula* (Hymenoptera: Apidae: Meliponini) from India. *Biologia*. 77(7): 1769-1793.
15. Viraktamath, S., Thangjam, R. (2022). Description of four new species of *Lepidotrigona* (Hymenoptera: Apidae: Meliponini) from north-east India. *Zootaxa*. 5175(1): 1-30.
16. Viraktamath, S. et al., (2023). Description of two new species of *Lisotrigona* (Hymenoptera, Apidae, Meliponini) from Central India and their nests. *Entomon*. 48(2): 149-166.
17. Hadimani, B. N., Dey, D. (2025). A new species of *Tetragonula* (Apidae: Meliponini) from India with description of males of *Tetragonula ruficornis* (Smith, 1870). *Oriental Insects*. 59(2): 311–325.
18. Silva, T.H.S.E. et al., (2016). Diversity of stingless bees (hymenoptera: meliponini) in srilanka. *Bioconservation Society*. Pp. 38-40.
19. Zheng, H. et al., (2018). Current status of the beekeeping industry in China. In *Asian beekeeping in the 21st century*. Springer, Singapore. Pp. 129-158.
20. Mohan, R., Devanesan, S. (1999). Dammer bees, *Trigona iridipennis* Smith. Apidae: Meliponinae) in Kerala. *Insect Environment*. 5(2): 79-83.
21. Swaminathan. (2000). Studies on stingless bees. M.Sc. Thesis, Tamil Nadu Agricultural University, Coimbatore, Tamil Nadu, India. Pp. 1-100.
22. Danaraddi, C.S., Shashidhar, V. (2009). Morphometrical studies on the stingless bee, *Trigona iridipennis* Smith. *Karnataka. J. Agricultural Sciences*. 22: 796–797.
23. Vijayakumar, K., Jeyaraaj, R. (2014). Taxonomic notes on stingless bee *Trigona (Tetragonula) iridipennis* Smith (Hymenoptera: Apidae) from India. *J. Threatened Taxa*. 6(11): 6480-6484.
24. Roopa, A.N. et al., (2015). Study on nesting characteristics and biology of stingless bee (*Trigona iridipennis* Smith). *IOSR. Journal of Agriculture and Veterinary Science. (IOSR-JAVS)*. 8(10): 34-36.
25. Nayak, P.P., Prakash, J. (2018). Molecular Characterization of the Indigenous Stingless Bees (*Tetragonula* spp. Complex) Using ISSR Marker from Southern Peninsular India. *Neotropical Entomology*. 47(1): 106-117.
26. Bhatta, C.P. et al., (2019). Nesting biology and niche modelling of *Tetragonula iridipennis* (Smith) (Hymenoptera: Apidae, Meliponini) in Nepal. *J. Apicultural Research*. 58(4): 501-511.
27. Chauhan, A. (2024). First report of stingless bee, *Tetragonula iridipennis* Smith from Himachal Pradesh and resource partitioning studies in *Hibiscus rosa chinensis*. *International Journal of Farm Sciences*. 14(1-2): 51-56.

28. Das, R. et al., (2024). Dearth period pollen foraging pattern by *Apis mellifera* L., *Apis cerana indica* F. and *Tetragonula bengalensis* C. in lower Gangetic alluvium of West Bengal, India: a comparative study. *International Journal of Tropical Insect Science*. 44(3): 1435-1447.
29. Gouda, M. R. et al., (2024). Report of (*Tetragonula iridipennis*) Smith, 1854 Pollination on Flowering Plant [*Bryophyllum pinnatum* (Lam.)] in New Delhi, India. *Archives of Current Research International*. 24(8): 178-184.
30. Yadav, S. et al., (2025). Assessing the impact of heatwaves on the nesting biology of stingless bees in jodhpur, rajasthan. *Journal of Experimental Zoology India*. 28(2).
31. Meena, V. K. et al., (2025). Diversity and distribution of stingless bees in India. *International Journal of Entomology Research*, 10(2), 20-24.
32. Rahman. A. et al., (2013) . Stingless Bees (Hymenoptera: Apidae:Meliponini): Diversity and Distribution in India. *International J. Science and Research (IJSR)*. 77-81.
33. Hadimani, B. N. et al., (2024). First report of nesting habits, nest architecture and foraging behaviour of the stingless bee, *Tetragonula (Tetragonula) ruficornis* (Smith)(Hymenoptera: Apidae: Meliponini) from India. *Sociobiology*. 71(2): e10114-e10114.
34. Vijayakumar, K. (2014). Nest and colony characters of *Trigona (Lepidotrigona) ventralis* var. *arciferal* Cockerell from North East India. *Asian J. Conservation Biology*. 3(1): 90-93.
35. Shaikh, A. K. et al., (2023). Nesting structure and biology of stingless bee, *Tetragonula nr. pagdeni* in Konkan region of Maharashtra. *Pharma Innov. J*.12: 1000-1003.
36. Layek, U., Karmakar, P. (2025). Distribution Patterns, Nesting Ecology and Nest Characteristics of the Stingless Bees (*Tetragonula pagdeni* Schwarz) in West Bengal, India. *Conservation*. 5(4): 63.
37. Layek, A. et al., (2025). Morphological variability among the populations of workers and associated males of *Tetragonula nr. pagdeni* Schwarz in the lateritic zone of West Bengal, India. *International Journal of Tropical Insect Science*. 1-12.
38. Khandibagur, S. V. et al., (2025). Flight ranges of *Tetragonula "nr" pagdeni* and standardization of hive density for profitable coriander production in the semi-arid region of India. *Journal of Apicultural Research*. 64(3):1029-1036.
39. Chauhan, A., Singh, H.K. (2021). Nest architecture of stingless bee, *Tetragonula gressitti* Sakagami from Nagaland, India. *International J. Tropical Insect Science*. Pp. 1-6.
40. Sakagami, S.F. (1978). *Tetragonula* Stingless bees of the continental Asia and Sri Lanka (Hymenoptera, Apidae) (with 124 text-Figures, 1 plate and 36 tables). 21(2): 165-247.
41. Rasmussen, C. (2008). Catalog of the Indo-Malayan/Australasian stingless bee (Hymenoptera: Apidae: Meliponini). *Zootaxa*. 1935: 1-802.